

Refine Search

Search Results -

Terms	Documents
(deliver\$ or exchange\$ or transfer\$) near4 (request\$ or message\$)and (translat\$ or conver\$ or transform\$ or format\$ or reformat\$) near4 (request\$ or message\$) and (html or xml) and http and client and server	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, May 19, 2005 [Printable Copy](#) [Create Case](#)

Set
Name Query
side by
side

Hit Set
Count Name
result
set

DB=TDBD; PLUR=YES; OP=ADJ

(deliver\$ or exchange\$ or transfer\$) near4 (request\$ or message\$)and (translat\$

L20 or conver\$ or transform\$ or format\$ or reformat\$) near4 (request\$ or
message\$) and (html or xml) and http and client and server

0 L20

DB=DWPI; PLUR=YES; OP=ADJ

(deliver\$ or exchange\$ or transfer\$) near4 (request\$ or message\$)and (translat\$

L19 or conver\$ or transform\$ or format\$ or reformat\$) near4 (request\$ or
message\$) and (html or xml) and http and client and server

1 L19

DB=JPAB; PLUR=YES; OP=ADJ

(deliver\$ or exchange\$ or transfer\$) near4 (request\$ or message\$)and (translat\$

L18 or conver\$ or transform\$ or format\$ or reformat\$) near4 (request\$ or
message\$) and (html or xml) and http and client and server

0 L18

DB=EPAB; PLUR=YES; OP=ADJ

(deliver\$ or exchange\$ or transfer\$) near4 (request\$ or message\$)and (translat\$ or conver\$ or transform\$ or format\$ or reformat\$) near4 (request\$ or message\$) and (html or xml) and http and client and server 0 L17

DB=USOC; PLUR=YES; OP=ADJ

(deliver\$ or exchange\$ or transfer\$) near4 (request\$ or message\$)and (translat\$ or conver\$ or transform\$ or format\$ or reformat\$) near4 (request\$ or message\$) and (html or xml) and http and client and server 0 L16

DB=PGPB; PLUR=YES; OP=ADJ

L15 l14 and (reliabl\$ or secur\$) 2077 L15

(deliver\$ or exchange\$ or transfer\$) near4 (request\$ or message\$)and (translat\$ or conver\$ or transform\$ or format\$ or reformat\$) near4 (request\$ or message\$) and (html or xml) and http and client and server 2677 L14

DB=USPT; PLUR=YES; OP=ADJ

L13 l12 and l15 12 L13

L12 L11 and client and server 1168 L12

L11 L10 and (html or xml) and http 1303 L11

L10 L9 and (translat\$ or conver\$ or transform\$ or format\$ or reformat\$) near4 (request\$ or message\$) 13303 L10

L9 (deliver\$ or exchange\$ or transfer\$) near4 (request\$ or message\$) 41156 L9

L8 713/152,201,203.ccls. 1639 L8

L7 710/10.ccls. 600 L7

L6 709/201,203.ccls. 3552 L6

L5 717/103,108,111,116,171,176,177.ccls. 740 L5

L4 6530025.pn. 1 L4

L3 l1 and (message\$ same request\$) 1 L3

L2 L1 and reformat\$ 1 L2

L1 5499343.pn. 1 L1

END OF SEARCH HISTORY



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

exchange and information and disparate and platform and xml



THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

exchange and information and disparate and platform and xml and client and server and http Found 35,767 of 154,226

Sort results by

relevance

Save results to a Binder

Try an Advanced Search

Display results

expanded form

Search Tips

Try this search in [The ACM Guide](#)

Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

1 [Business-to-business interactions: issues and enabling technologies](#)

B. Medjahed, B. Benatallah, A. Bouguettaya, A. H. H. Ngu, A. K. Elmagarmid

May 2003 **The VLDB Journal — The International Journal on Very Large Data Bases**,

Volume 12 Issue 1

Full text available: [pdf\(558.34 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Business-to-Business (B2B) technologies pre-date the Web. They have existed for at least as long as the Internet. B2B applications were among the first to take advantage of advances in computer networking. The Electronic Data Interchange (EDI) business standard is an illustration of such an early adoption of the advances in computer networking. The ubiquity and the affordability of the Web has made it possible for the masses of businesses to automate their B2B interactions. However, several issu ...

Keywords: B2B Interactions, Components, E-commerce, EDI, Web services, Workflows, XML

2 [Content-triggered trust negotiation](#)

Adam Hess, Jason Holt, Jared Jacobson, Kent E. Seamons

August 2004 **ACM Transactions on Information and System Security (TISSEC)**, Volume 7 Issue 3

Full text available: [pdf\(815.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The focus of access control in client/server environments is on protecting sensitive server resources by determining whether or not a client is authorized to access those resources. The set of resources is usually static, and an access control policy associated with each resource specifies who is authorized to access the resource. In this article, we turn the traditional client/server access control model on its head and address how to protect the sensitive content that clients disclose to and r ...

Keywords: Trust negotiation, access control, authentication, credentials

3 [Features: Caching XML Web Services for Mobility](#)

May 2003 **Queue**, Volume 1 Issue 3

Full text available: [pdf\(311.20 KB\)](#) [html\(35.15 KB\)](#) Additional Information: [full citation](#), [index terms](#)